



CARPET  
TILES

# COMO COLLECTION

AIRLAY 



# COMO COLLECTION







HAMPTON





WINDSOR





TOORAK






BRIGHTON






TOORAK





**SURREY HILLS**




**TOORAK**




**ARMADALE**




**CANTERBURY**



**HAMPTON**



**BRIGHTON**



**WINDSOR**



**COMO  
COLLECTION**



# COMO



## TECHNICAL SPECIFICATIONS


<b>Product Range</b>	Como
<b>Product Description</b>	Tufted Multi-Level Loop Carpet Tile
<b>Yarn / Fibre</b>	100% Solution Dyed Nylon
<b>Machine Gauge</b>	1/12th
<b>Pile Height</b>	3mm +/-0.5mm
<b>Total Thickness</b>	7mm +/-0.5mm
<b>Tile Size</b>	50cm x 50cm
<b>Backing Structure</b>	PVC with Recycled Content or Cushion Back
<b>Tile Installation Method</b>	Quarter Turn, Brick, Ashlar

## SUSTAINABILITY SPECIFICATIONS

<b>Less Waste</b>	Modular carpet creates 85 – 90% less waste than broadloom carpet
<b>Product Stewardship</b>	100% take back & repurpose through accredited partner
<b>Recycled Content</b>	Minimum of 55% recycled content in the backing structure  Average of 40% recycled content by weight of product

## PERFORMANCE SPECIFICATIONS

<b>Area of Use</b>	Commercial
<b>Dimensional Stability</b>	Less than 0.2% variation
<b>Biocontaminant Control</b>	Ultra Fresh Anti-microbial treated
<b>Anti-Static</b>	AATCC134 < 3000 Volts
<b>Warranty</b>	15 year limited warranty: • Manufacturing defect • Dimensional stability • Electrostatic propensity



Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.